### MATERIAL SAFETY DATA SHEET

Product : DURAFLASH-RED Issue Date : Jan 2010

No of revision: 0 Packaging: Carton

#### 1. SUBSTANCE / PREPARATION AND COMPANY IDENTIFICATION

### 1.1 Product Name

#### **DURAFLASH-RED**

# 1.2 Company

Advanced Technical Laminates Manufacturing Sdn Bhd

Lot 56 & 57, Jalan Industri 2/2, Taman Industri Integrasi Rawang, 48000

Rawang, Selangor, Malaysia

Tel: 603 6093 3282 Fax: 603 6093 1282

#### 2. COMPOSITION / INFORMATION ON INGREDIENTS

Corrugated Aluminum laminated with grey pressure sensitive adhesive and release paper

#### 3. HAZARDS IDENTIFICATION

No hazardous material presence.

# 4. FIRST AID MEASURES

# 4.1 Skin Contact

Wipe off excess and wash with soap and water. Proprietary skin cleansers may help removal from skin. Do not use solvents. Obtain medical advice if skin irritation persists.

# 4.2 Ingestion

Clear material from mouth and throat and obtain immediate medical attention. Shoe this data sheet or product label. Do not induce vomiting.

### 4.3 Eye

Flush immediately with plenty of water or saline eye wash solution and continue rinsing for ten minutes. Obtain medical advice.

### 4.4 Inhaled

Not Applicable.

### MATERIAL SAFETY DATA SHEET

Product : DURAFLASH-RED Issue Date : Jan 2010

No of revision: 0 Packaging: Carton

#### 5. FIRE FIGHTING MEASURES

### 5.1 Suitable Extinguish Media

Carbon dioxide, chemical powder, foam, water fog.

### 5.2 Special Precautions

Wear a respirator in confined spaces when fighting fires.

# 5.3 Combustion Products

Smoke, CO, CO2, and degradation products.

### 6. ACCIDENTAL RELEASE MEASURES

# 6.1 Recover Free Material

Add absorbent if applicable and dispose of in accordance with applicable local, state, and federal regulations.

Wash Spill area with a detergent solution.

### 7. HANDLING AND STORAGE

#### 7.1 Handling

Handle with care. Do not expose to direct sunlight and rain before installation. Do not use sharp tool that can harm product.

### 7.2 Storage

The product should be stored in original packing securely in dry non-corrosive ambient temperature environment.

Store in a well clean, dry and ventilated warehouse.

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

# 8.1 Ventilation

Normal ventilation in accordance with good engineering practice.

# MATERIAL SAFETY DATA SHEET

Product : DURAFLASH-RED Issue Date : Jan 2010

No of revision: 0 Packaging: Carton

# 8.2 Respiratory Protection

Not need under normal usage conditions.

# 8.3 Hand Protection

Wear gloves.

# 8.4 Eye Protection

Safety glasses recommended as standard practice.

# 8.5 Skin Protection

Use resistance gloves to minimize skin contact.

# 9. PHYSICAL PROPERTIES

Property	Method	Unit	Specification
Colour	-	-	HEADLAND RED
Width	-	mm	280
Length	-	m	5
Butyl Penetration	-	mm	125-135(50g, 5s) @ 30°C
Butyl Special Gravity	-	°C	1.41 (± 0.02) @ 30°C

# 10. STABILITY AND REACTIVITY

# 10.1 Stability

Stable

# 10.2 <u>Hazardous polymerization</u>

None Known.

# 11. DISPOSAL CONSIDERATION

Dispose of product in accordance with all local, state and federal regulation as applicable.

# MATERIAL SAFETY DATA SHEET

Product : DURAFLASH-RED Issue Date : Jan 2010

No of revision: 0 Packaging : Carton

# 12. TRANSPORT INFORMATION

No dangerous product according to the transport regulations.

This product should be stored, handled and used in accordance with good industrial hygiene practices. The information contained herein based on the present state of our knowledge and is intendent to describe our

product from the point of view of safety requirements. It should not therefore be construed as guaranteeing specific properties.