

# SAFETY DATA SHEET

# 002

Product Name AIR, COMPRESSED

# 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Supplier Name BOC LIMITED (AUSTRALIA)

Address 10 Julius Avenue, North Ryde, NSW, AUSTRALIA, 2113

**Telephone** 131 262, (02) 8874 4400 **Fax** 132 427 (24 hours)

**Emergency** 1800 653 572 (24/7) (Australia only)

Web Site http://www.boc.com.au/

Synonym(s) 002 - SDS NUMBER • AIR • AIR (COMPRESSED) (FORMERLY) • COMPRESSED AIR • PRODUCT CODES:

052, 053, 054, 055, 057

Use(s) INDUSTRIAL APPLICATIONS • OPERATION OF PNEUMATIC TOOLS

**SDS Date** 26 Mar 2010

#### 2. HAZARDS IDENTIFICATION

### NOT CLASSIFIED AS HAZARDOUS ACCORDING TO ASCC CRITERIA

# CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE

UN No. 1002 DG Class 2.2 Subsidiary Risk(s) None Allocated

Packing GroupNone AllocatedHazchem Code2TEPG2C1

### 3. COMPOSITION/ INFORMATION ON INGREDIENTS

| Ingredient | Formula | CAS No.   | Content |
|------------|---------|-----------|---------|
| OXYGEN     | O2      | 7782-44-7 | 20.9%   |
| NITROGEN   | N2      | 7727-37-9 | 78.1%   |
| ARGON      | Ar      | 7440-37-1 | 0.9%    |

## 4. FIRST AID MEASURES

**Eye** None required.

**Inhalation** If inhaled, remove from contaminated area. If other than minor symptoms are displayed, seek immediate medical

attention. An inhalation hazard is not anticipated under normal conditions of use. For advice, contact a Poisons

Information Centre on 13 11 26 (Australia Wide) or a doctor.

**Skin** None required.

**Ingestion** Due to product form and application, ingestion is considered unlikely.

Advice to Doctor Treat symptomatically



# Product Name AIR, COMPRESSED

### 5. FIRE FIGHTING MEASURES

Flammability Non flammable.

**Fire and**Temperatures in a fire may cause cylinders to rupture. Cool cylinders or containers exposed to fire by applying water from a protected location. Do not approach cylinders or containers suspected of being hot. Remove cool

cylinders from the path of the fire. Evacuate the area if unable to keep cylinders cool.

**Extinguishing** Use water fog to cool containers from protected area.

Hazchem Code 2T

### 6. ACCIDENTAL RELEASE MEASURES

Spillage If the cylinder is leaking, evacuate area of personnel. Inform manufacturer/supplier of leak. Use personal

protective equipment. Carefully move material to a well ventilated remote area, then allow to discharge. Do not

attempt to repair leaking valve or cylinder safety devices.

### 7. STORAGE AND HANDLING

Storage Do not store near sources of ignition or incompatible materials. Cylinders should be stored below 45°C in a secure

area, upright and restrained to prevent cylinders from falling. Cylinders should also be stored in a dry, well ventilated area constructed of non-combustible material with firm level floor (preferably concrete), away from areas

of heavy traffic and emergency exits.

**Handling** Use of safe work practices are recommended to avoid inhalation. Do not drag, drop, slide or roll cylinders. The

uncontrolled release of a gas under pressure may cause physical harm. Use a suitable hand truck for cylinder

movement.

#### 8. EXPOSURE CONTROLS/ PERSONAL PROTECTION

**Exposure Stds** 

| Ingredient | Reference  | TWA        |       | STEL |       |  |
|------------|------------|------------|-------|------|-------|--|
|            |            | ppm        | mg/m3 | ppm  | mg/m3 |  |
| Argon      | ASCC (AUS) | Asphyxiant |       |      |       |  |
| Nitrogen   | ASCC (AUS) | Asphyxiant |       |      |       |  |

Biological Limits No biological limit allocated.

**Engineering Controls** 

No special precautions are normally required when handling this product.

PPE Wear safety boots, leather gloves and safety glasses.







### 9. PHYSICAL AND CHEMICAL PROPERTIES

 Appearance
 COLOURLESS GAS
 Solubility (Water)
 0.018 cm3/cm3

 Odour
 ODOURLESS
 Specific Gravity
 NOT APPLICABLE

 pH
 NOT APPLICABLE
 % Volatiles
 100 %

Vapour PressureNOT AVAILABLEFlammabilityNON FLAMMABLEVapour DensityNOT AVAILABLEFlash PointNOT RELEVANTBoiling Point-194°CUpper Explosion LimitNOT RELEVANT

 Melting Point
 NOT RELEVANT
 Lower Explosion Limit
 NOT RELEVANT

 Evaporation Rate
 NOT APPLICABLE

 Critical Pressure
 3,774 kPa
 Critical Temperature
 -140°C

 Cylinder Pressure
 13,7000 - 25000 kPa @ 15°C
 Density
 1 (Air = 1)



# Product Name AIR, COMPRESSED

## 10. STABILITY AND REACTIVITY

**Chemical Stability** Stable under recommended conditions of storage.

**Conditions to Avoid** Avoid heat, sparks, open flames and other ignition sources.

Material to AvoidCompatible with most commonly used materials.DecompositionMay evolve toxic gases if heated to decomposition.

Hazardous Reactions Polymerization will not occur.

### 11. TOXICOLOGICAL INFORMATION

**Health Hazard** 

Non toxic gas. Non irritating.

**Summary** 

**Eye** Non irritant.

**Inhalation** Non irritant. Adverse health effects are not anticipated under normal conditions of use.

**Skin** Non irritant.

**Ingestion** Ingestion is considered unlikely due to product form.

**Toxicity Data** No LD50 data available for this product.

# 12. ECOLOGICAL INFORMATION

**Environment** No known ecological damage is caused by this product.

## 13. DISPOSAL CONSIDERATIONS

Waste Disposal Cylinders should be returned to the manufacturer or supplier for disposal of contents.

**Legislation** Dispose of in accordance with relevant local legislation.

#### 14. TRANSPORT INFORMATION

**Transport** 

Ensure cylinder is separated from driver and that outlet of relief device is not obstructed. Refer to Commonwealth, State and Territory Dangerous Goods Legislation which contain requirements which affect gas storage and transport.



#### CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE

Shipping Name AIR, COMPRESSED

UN No. 1002 DG Class 2.2 Subsidiary Risk(s) None Allocated

Packing GroupNone AllocatedHazchem Code2TEPG2C1

## 15. REGULATORY INFORMATION

Poison Schedule A poison schedule number has not been allocated to this product using the criteria in the Standard for the Uniform

Scheduling of Drugs and Poisons (SUSDP).

AICS All chemicals listed on the Australian Inventory of Chemical Substances (AICS).

#### 16. OTHER INFORMATION

Additional Information

The storage of significant quantities of gas cylinders must comply with AS4332 The storage and handling of gases in cylinders.

APPLICATION METHOD: Gas regulator of suitable pressure and flow rating fitted to cylinder or manifold with low pressure gas distribution to equipment.

ABBREVIATIONS: ADB - Air-Dry Basis.

BEI - Biological Exposure Indice(s)

CAS# - Chemical Abstract Service number - used to uniquely identify chemical compounds.

**ChemAlert** 

Page 3 of 4

RMT

Reviewed: 26 Mar 2010 Printed: 26 Mar 2010

# Product Name AIR, COMPRESSED

CNS - Central Nervous System.

EINECS - European INventory of Existing Commercial chemical Substances.

IARC - International Agency for Research on Cancer.

M - moles per litre, a unit of concentration.

mg/m3 - Milligrams per cubic metre.

NOS - Not Otherwise Specified.

NTP - National Toxicology Program.

OSHA - Occupational Safety and Health Administration.

pH - relates to hydrogen ion concentration using a scale of 0 (high acidic) to 14 (highly alkaline).

ppm - Parts Per Million.

RTECS - Registry of Toxic Effects of Chemical Substances.

TWA/ES - Time Weighted Average or Exposure Standard.

#### **HEALTH EFFECTS FROM EXPOSURE:**

It should be noted that the effects from exposure to this product will depend on several factors including: frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a Chem Alert report which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.

#### PERSONAL PROTECTIVE EQUIPMENT GUIDELINES:

The recommendation for protective equipment contained within this Chem Alert report is provided as a guide only. Factors such as method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.

#### **Report Status**

This document has been compiled by RMT on behalf of the manufacturer of the product and serves as the manufacturer's Safety Data Sheet ('SDS').

It is based on information concerning the product which has been provided to RMT by the manufacturer or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer.

While RMT has taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, RMT accepts no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS.

#### Prepared By

Risk Management Technologies 5 Ventnor Ave, West Perth Western Australia 6005 Phone: +61 8 9322 1711 Fax: +61 8 9322 1794 Email: info@rmt.com.au Web: www.rmt.com.au

> SDS Date: 26 Mar 2010 End of Report

