

DuPont[™] SUVA[®] 407C Refrigerant

Version 2.2 Revision Date 04.06.2008

Ref. 13000000517

This SDS adheres to the standards and regulatory requirements of Australia and may not meet the regulatory requirements in other countries.

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product information

Trade name Types	 DuPont[™] SUVA[®] 407C Refrigerant ASHRAE Refrigerant number designation: R-407C
Use of the Substance/Preparation	: Refrigerant
Company	: Du Pont (Australia) Ltd 7 Eden Park Drive
	Macquarie Park NSW 2113 Australia
Telephone	: (02) 9923 6111
Telefax	: (02) 9923 6011
Emergency telephone	: (02) 9923 6275 (Transport Emergency) (24 hr Emergency Medical Information: 1800 674 415)

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components

Chemical Name CAS-No. Conc	entration
Difluoromethane 75-10-5 23 %	
Pentafluoroethane 354-33-6 25 %	
1,1,1,2-Tetrafluoroethane 811-97-2 52 %	

3. HAZARDS IDENTIFICATION

Hazardous classification

Classified as dangerous goods according to the ADG Code Not classified as hazardous according to criteria of NOHSC.

Specific hazards

Rapid evaporation of the liquid may cause frostbite. Vapours are heavier than air and can cause suffocation by reducing oxygen available for breathing.

4. FIRST AID MEASURES	
General advice	: If unconscious, place in recovery position and seek medical advice. Never give anything by mouth to an unconscious person. If breathing is irregular or stopped, administer artificial respiration. If symptoms persist, call a physician.
Inhalation	: Move to fresh air. Keep patient warm and at rest. Artificial respiration and/or oxygen may be necessary.
Skin contact	: Wash off with warm water. Take off all contaminated clothing immediately.
Eye contact	: Rinse thoroughly with plenty of water, also under the eyelids. Consult a physician.
	1/6



sion 2.2 rision Date 04.06.2008		Ref. 13000000517
Notes to physician		
Treatment	:	Do not give adrenaline or similar drugs.
IRE-FIGHTING MEASURES		
Specific hazards during fire fighting	:	pressure build-up
Special protective equipment for fire-fighters	:	In the event of fire, wear self-contained breathing apparatus.
Further information	:	Use extinguishing measures that are appropriate to local circumstances and th surrounding environment. Cool containers / tanks with water spray.
CCIDENTAL RELEASE MEA	SU	RES
Personal precautions	:	Evacuate personnel to safe areas. Ventilate the area. Refer to protective measures listed in sections 7 and 8.
Environmental precautions	:	Should not be released into the environment.
Methods for cleaning up	:	Evaporates.
ANDLING AND STORAGE		
Handling		
Advice on safe handling	:	Provide sufficient air exchange and/or exhaust in work rooms. For person protection see section 8.
Advice on protection against fire and explosion	:	No special protective measures against fire required.
Storage		
Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Store in origina container.
Further information on storage conditions	:	Keep at temperature not exceeding 52℃.
Advice on common storage	:	No materials to be especially mentioned.
Storage temperature	:	< 52 °C
XPOSURE CONTROLS/PER	so	NAL PROTECTION



DuPont[™] SUVA[®] 407C Refrigerant

vision Date 04.06.2008		Ref. 13000000517	
Components	Values	Control parameters	Basis
1,1,1,2-Tetrafluoroethane	TWA	4,240 mg/m3 (1,000 ppm)	AU OEL (2004)
Engineering measures			
Ensure adequate ventilation		confined areas.	
Personal protective equips Respiratory protection		ask with a particle filter conforming t	o AS1715 & AS1716.
Hand protection		sulating gloves	
Eye protection	: Safety		
Hygiene measures	-	in accordance with good industrial	hygiene and safety practice
Tygiche measures	. Handle		nygione and safety practice.
PHYSICAL AND CHEMICAL	PROPERTIES	6	
Farm	. Linua fi		
Form	-	ed gas	
Colour	: colourl		
Odour	: ether-l		
pH		℃) neutral	
Boiling point/boiling range		℃ at 1,013 hPa	
Flash point	: does n	ot flash	
Ignition temperature	: 685 °C		
Vapour pressure	: 11,740	hPa at 25 ℃	
	21,860	hPa at 50 °C	
Density	: 1.136 (g/cm3 at 25 ℃ (as liquid)	
	0.0042	g/cm3 at 25 ℃ (1,013 hPa)	
STABILITY AND REACTIVIT	Y		
Conditions to avoid	pressur flamma	duct is not flammable in air under a e. When pressurised with air or oxy ble. Certain mixtures of HCFCs or H ble or reactive under certain condition	HFCs with chlorine may become
Materials to avoid	: Alkali m	netals, Alkaline earth metals, Powde	ered metals, Powdered metal salts
		3/6	



ersion 2.2 evision Date 04.06.2008	Ref. 13000000517
Hazardous decomposition products	: Hydrogen halides, Carbon dioxide (CO2), Carbon monoxide, Fluorocarbons, Carbonyl halides
. TOXICOLOGICAL INFORM	ATION
Acute inhalation toxicity Difluoromethane 	: ALC/4 h/rat : 1,106 mg/l Anaesthetic effects Spasms Limb paralysis
	//dog : Cardiac sensitization
 Pentafluoroethane 	: LC50/4 h/mouse : 556329 ppm
• 1,1,1,2-	: ALC/4 h/rat : 567000 ppm
Tetrafluoroethane	LC50/4 h/rat : 358500 ppm
	//dog : Cardiac sensitization
Skin irritation • 1,1,1,2- Tetrafluoroethane	: non-irritant
Eye irritation • 1,1,1,2- Tetrafluoroethane	: non-irritant
Sensitisation • 1,1,1,2- Tetrafluoroethane	: Not a skin sensitizer.
Repeated dose toxicity Difluoromethane 	: Inhalation Organ weight changes Lungs Kidney Liver Spleen
Pentafluoroethane	: Inhalation rat No toxicologically significant effects were found.
• 1,1,1,2- Tetrafluoroethane	: Inhalation rat No toxicologically significant effects were found.
Carcinogenicity assessment	: Did not show carcinogenic effects in animal experiments.
Toxicity to reproduction assessment	: Did not show mutagenic or teratogenic effects in animal experiments.



DuPont[™] SUVA[®] 407C Refrigerant

/ersion 2.2 Revision Date 04.06.2008		Ref. 13000000517
Human experience	:	Excessive exposures may affect human health, as follows:
		Inhalation: Severe shortness of breath, narcosis, Irregular cardiac activity
Further information	:	Rapid evaporation of the liquid may cause frostbite.
2. ECOLOGICAL INFORMATI	ON	
Toxicity to fish • 1,1,1,2- Tetrafluoroethane	:	LC50/96 h/Oncorhynchus mykiss (rainbow trout): 450 mg/l
Aquatic toxicity • 1,1,1,2- Tetrafluoroethane	:	EC50/48 h/Daphnia magna (Water flea): 980 mg/l
3. DISPOSAL CONSIDERATIO	ONS	
Product	:	Can be used after re-conditioning.
Contaminated packaging	:	Empty pressure vessels should be returned to the supplier.
		Disposable containers: Dispose of in accordance with local regulations.
4. TRANSPORT INFORMATIC	N	
ADG UN-Number Proper shipping name Class	:	3340 Refrigerant gas R 407C
	:	2.2
IMDG UN-Number Proper shipping name Class Labelling No.	:	
IMDG UN-Number Proper shipping name Class	:	2.2 3340 Refrigerant gas R 407C 2.2 2.2
IMDG UN-Number Proper shipping name Class Labelling No. Marine pollutant	: : :	2.2 3340 Refrigerant gas R 407C 2.2 2.2 no
IMDG UN-Number Proper shipping name Class Labelling No. Marine pollutant Further information	: : ION	2.2 3340 Refrigerant gas R 407C 2.2 2.2 no
IMDG UN-Number Proper shipping name Class Labelling No. Marine pollutant Further information 5. REGULATORY INFORMAT	: : : ION	2.2 3340 Refrigerant gas R 407C 2.2 2.2 no Classified as dangerous goods according to the ADG Code Not classified as hazardous according to criteria of NOHSC.
IMDG UN-Number Proper shipping name Class Labelling No. Marine pollutant Further information 5. REGULATORY INFORMAT Further information	: : : ION	2.2 3340 Refrigerant gas R 407C 2.2 2.2 no Classified as dangerous goods according to the ADG Code Not classified as hazardous according to criteria of NOHSC.



DuPont[™] SUVA[®] 407C Refrigerant

Version 2.2 Revision Date 04.06.2008

Ref. 13000000517

16. OTHER INFORMATION

Sources of key data used to compile the Safety Data Sheet:

1. National Code of Practice for the Preparation of Material Safety Data Sheets 2nd Edition [NOHSC:2011(2003)]

- 2. Approved Criteria for Classifying Hazardous Substances [NOHSC:1008(1999)]
- 3. List of Designated Hazardous Substances [NOHSC:10005(1999)]

4. Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:1003(1995)]

- 5. Australian Dangerous Goods Code, No. 6 [National Road Transport Commission]
- 6. Standard for the Uniform Scheduling of Drugs and Poisons (SUSDP), No. 19 [NDPSC: 2004]
- 7. National Code of Practice for the Labelling of Workplace Substances [NOHSC:2012(1994)]

Department:

Du Pont (Australia) Ltd 7 Eden Park Drive Macquarie Park NSW 2113 Australia

Further information:

Before use read DuPont's safety information., For further information contact the local DuPont office or DuPont's nominated distributors., [®] DuPont's registered trademark

Significant change from previous version is denoted with a double bar.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The above information relates only to the specific material(s) designated herein and may not be valid for such material(s) used in combination with any other materials or in any process or if the material is altered or processed, unless specified in the text.