



# Material Safety Data Sheet

## 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

**Product Name:** EXTERIOR SPAKFILLA

**Recommended Use:** Paintable filler for cement and brick render.

**Supplier:** Selleys Pty Ltd  
**ABN:** 67 000 049 427  
**Street Address:** 1 Gow Street  
Padstow 2211  
Australia  
**Telephone Number:** +61 2 9781 8777  
**Facsimile:** +61 2 9781 8825

**Emergency Telephone:** 1 800 033 111 (ALL HOURS)

## 2. HAZARDS IDENTIFICATION

This material is hazardous according to criteria of ASCC; HAZARDOUS SUBSTANCE.

Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for transport by Road and Rail; NON-DANGEROUS GOODS.

**Risk Phrases:** Irritating to respiratory system and skin. Risk of serious damage to eyes.

**Safety Phrases:** Do not breathe dust. Avoid contact with skin and eyes. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

**Poisons Schedule:** None allocated.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Components / CAS Number	Proportion	Risk Phrases
Calcium carbonate 1317-65-3	30-60%	-
Portland Cement 65997-15-1	30-60%	R37/38, R41
Sodium borosilicate (Glass microspheres) 50815-87-7	1-<10%	-
Mica group minerals 12001-26-2	1-<10%	-

**Product Name:** EXTERIOR SPAKFILLA  
**Substance No:** 000703596601

**Issued:** 21/05/2008

**Version:** 3



# Material Safety Data Sheet

Ingredients determined not to be hazardous to 100%  
-  
-

## 4. FIRST AID MEASURES

For advice, contact a Poisons Information Centre (Phone eg. Australia 131 126; New Zealand 0 800 764766) or a doctor.

- Inhalation:** Remove victim from area of exposure - avoid becoming a casualty. Seek medical advice if effects persist.
- Skin Contact:** If skin or hair contact occurs, immediately remove any contaminated clothing and wash skin and hair thoroughly with running water. If swelling, redness, blistering or irritation occurs seek medical assistance.
- Eye Contact:** If in eyes, hold eyelids apart and flush the eye continuously with running water. Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes.
- Ingestion:** Rinse mouth with water. If swallowed, give a glass of water to drink. If vomiting occurs give further water. Seek medical assistance.
- Medical attention and special treatment:** Treat symptomatically. Can cause corneal burns.

## 5. FIRE FIGHTING MEASURES

- Hazards from combustion products:** Non-combustible material.
- Suitable Extinguishing Media:** Not combustible, however, if material is involved in a fire use: Fine water spray, normal foam, dry agent (carbon dioxide, dry chemical powder).

## 6. ACCIDENTAL RELEASE MEASURES

- Emergency procedures:** If contamination of sewers or waterways has occurred advise local emergency services.
- Methods and materials for containment and clean up:**  
SMALL SPILLS: Sweep up, but avoid generating dust. Collect in properly labelled containers for disposal.  
LARGE SPILLS: Wear protective equipment to prevent skin and eye contact and breathing in dust. Work up wind or increase ventilation. Cover with damp absorbent (inert material, sand or soil). Sweep or vacuum up, but avoid generating dust. Collect and seal in properly labelled containers or drums for disposal. Wash area down with excess water.

**Product Name:** EXTERIOR SPAKFILLA  
**Substance No:** 000703596601

**Issued:** 21/05/2008 **Version:** 3



# Material Safety Data Sheet

## 7. HANDLING AND STORAGE

**Conditions for safe storage:** Store away from acids. Keep containers sealed as material may absorb moisture. Keep containers closed when not in use - check regularly for spills.

**Precautions for safe handling:** Avoid skin and eye contact and breathing in dust.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Occupational Exposure Limits:

No value assigned for this specific material by the National Occupational Health and Safety Commission. However, Exposure Standard(s) for constituent(s):

Calcium carbonate: 8hr TWA = 10 mg/m<sup>3</sup>

Mica (inspirable): 8hr TWA = 2.5 mg/m<sup>3</sup>

Portland cement: 8hr TWA = 10 mg/m<sup>3</sup>

As published by the National Occupational Health and Safety Commission.

TWA - The time-weighted average airborne concentration over an eight-hour working day, for a five-day working week over an entire working life.

These Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

### Engineering controls:

Ensure ventilation is adequate and that air concentrations of components are controlled below quoted Exposure Standards. Avoid generating and breathing in dusts. Use with local exhaust ventilation or while wearing dust mask.

### Personal Protective Equipment:

The selection of PPE is dependant on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

Selleys Factory Safe Handling Code: Blue



MANUFACTURE, PACKAGING AND TRANSPORT: Blue - Wear clean overalls, safety boots, general purpose gloves

**Product Name:** EXTERIOR SPAKFILLA  
**Substance No:** 000703596601

**Issued:** 21/05/2008

**Version:** 3



# Material Safety Data Sheet

(PVC) and full face visor. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use.

If risk of inhalation exists, wear dust mask meeting the requirements of AS/NZS 1715 and AS/NZS 1716.

FOR CONSUMER USE: Avoid contact with eyes and skin and breathing in dust. Rubber gloves and eye protection are recommended while handling the product. Wash hands after use.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Physical state:</b>	Powder
<b>Colour:</b>	White
<b>Solubility:</b>	Insoluble in water.
<b>Specific Gravity:</b>	N Av
<b>Relative Vapour Density (air=1):</b>	N App
<b>Vapour Pressure (20 °C):</b>	N App
<b>Flash Point (°C):</b>	N App
<b>Flammability Limits (%):</b>	N App
<b>Autoignition Temperature (°C):</b>	N App
<b>% Volatile by Volume:</b>	Nil
<b>Solubility in water (g/L):</b>	Insoluble
<b>Melting Point/Range (°C):</b>	N Av
<b>Boiling Point/Range (°C):</b>	N App
<b>pH:</b>	12.1 (slurry)
<b>Viscosity:</b>	N App
<b>Evaporation Rate:</b>	N App

## 10. STABILITY AND REACTIVITY

<b>Chemical stability:</b>	Stable under normal conditions of use.
<b>Conditions to avoid:</b>	Avoid exposure to moisture.
<b>Incompatible materials:</b>	Incompatible with acids.
<b>Hazardous decomposition products:</b>	Not known.
<b>Hazardous reactions:</b>	Reacts with acids liberating carbon dioxide .

## 11. TOXICOLOGICAL INFORMATION

No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or effects that may arise if the product is mishandled and overexposure occurs are:

**Ingestion:** Swallowing calcium carbonate can result in the generation of uncomfortable quantities of carbon dioxide gas in the stomach.

**Product Name:** EXTERIOR SPAKFILLA  
**Substance No:** 000703596601

**Issued:** 21/05/2008

**Version:** 3



# Material Safety Data Sheet

**Eye contact:** A severe eye irritant. Contamination of eyes can result in permanent injury.

**Skin contact:** Contact with skin will result in irritation. Repeated or prolonged skin contact may lead to irritant contact dermatitis.

**Inhalation:** Breathing in dust will result in respiratory irritation.

**Long Term Effects:**

No information available for the product.

**Toxicological Data:**

No LD50 data available for the product.

## 12. ECOLOGICAL INFORMATION

**Ecotoxicity** Avoid contaminating waterways.

## 13. DISPOSAL CONSIDERATIONS

**Disposal methods:** Refer to Waste Management Authority. Normally suitable for disposal at approved land waste site.

## 14. TRANSPORT INFORMATION

**Road and Rail Transport**

Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for transport by Road and Rail; NON-DANGEROUS GOODS.

**Marine Transport**

Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; NON-DANGEROUS GOODS.

**Air Transport**

Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; NON-DANGEROUS GOODS.

## 15. REGULATORY INFORMATION

**Product Name:** EXTERIOR SPAKFILLA  
**Substance No:** 000703596601

**Issued:** 21/05/2008      **Version:** 3  
Page 5 of 6



# Material Safety Data Sheet

**Classification:** This material is hazardous according to criteria of ASCC; HAZARDOUS SUBSTANCE.

**Hazard Category:** Xi: Irritant

**Risk Phrase(s):** R37/38: Irritating to respiratory system and skin.  
R41: Risk of serious damage to eyes.

**Safety Phrase(s):** S22: Do not breathe dust.  
S24/25: Avoid contact with skin and eyes.  
S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

**Poisons Schedule:** None allocated.

All the constituents of this material are listed on the Australian Inventory of Chemical Substances (AICS).

## 16. OTHER INFORMATION

This material safety data sheet has been prepared by SH&E Shared Services, Orica.  
For further copies of this sheet or other product information contact Selley's Proprietary Limited Customer Service.  
Phone: 1300 555 205 (Australia wide)  
Fax: 1300 555 305 (Australia wide)  
Phone: 9 820 4852 (New Zealand)  
Fax: 0800 804 583 (New Zealand)

### Reason(s) for Issue:

5 Yearly Revised Primary MSDS  
Change in Personal Protection Requirements  
Change in Hazardous Substance Classification

This MSDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Orica Limited cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Orica representative or Orica Limited at the contact details on page 1.

Orica Limited's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

**Product Name:** EXTERIOR SPAKFILLA  
**Substance No:** 000703596601

**Issued:** 21/05/2008

**Version:** 3