

Material Safety Data Sheet



1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product Name: **QUICKFIX SUPA GLUE LIQUID**

Recommended Use: Adhesive.

Supplier: Selleys Pty Ltd
ABN: 67 000 049 427
Street Address: 1 Gow Street
Padstow 2211
Australia
Telephone Number: +61 2 9781 8777
Facsimile: +61 2 9781 8825
Emergency Telephone: **1 800 033 111 (ALL HOURS)**

2. HAZARDS IDENTIFICATION

This material is hazardous according to criteria of ASCC; HAZARDOUS SUBSTANCE.

Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for transport by Road and Rail; NON-DANGEROUS GOODS.

Risk Phrases: Irritating to eyes, respiratory system and skin.

Safety Phrases: Do not breathe vapour. Avoid contact with skin and eyes.

Poisons Schedule: None allocated.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS Number	Proportion	Risk Phrases
Ethyl cyanoacrylate	7085-85-0	>60%	R36/37/38
Poly(methyl methacrylate)	9011-14-7	10-<30%	-
Polymerisation inhibitor	-	<1%	-

4. FIRST AID MEASURES

For advice, contact a Poisons Information Centre (Phone eg. Australia 131 126; New Zealand 0 800 764766) or a doctor.

Inhalation:

Remove victim from area of exposure - avoid becoming a casualty. Remove contaminated clothing and loosen remaining clothing. Allow patient to assume most comfortable position and keep warm. Keep at rest until fully recovered. Seek medical advice if effects persist.

Skin Contact:

Do not use force to remove cured material from skin, or to pull apart skin- to- skin adhesion as tissue tearing can occur. Adhesive may be softened with acetone for emergency separation. Do not use solvents on sensitive skin or near an open wound. Will peel off in a few days and can be hastened by soaking in warm water.

Material Safety Data Sheet

**Eye Contact:**

Immediately wash in and around the eye area with large amounts of water for at least 15 minutes. Eyelids to be held apart. Remove clothing if contaminated and wash skin. Urgently seek medical assistance. Transport to hospital or medical centre.

Ingestion:

Cured material is considered non-hazardous. Seek medical and/or dental attention for removal of material bonded in mouth.

Medical attention and special treatment:

Treat symptomatically.

5. FIRE FIGHTING MEASURES

Hazards from combustion products:

Combustible liquid. On burning will emit toxic fumes, including those of oxides of carbon, oxides of nitrogen and hydrogen cyanide.

Precautions for fire fighters and special protective equipment:

Fire fighters to wear self-contained breathing apparatus and suitable protective clothing if risk of exposure to vapour or products of combustion.

Suitable Extinguishing Media:

Fine water spray, normal foam, dry agent (carbon dioxide, dry chemical powder).

6. ACCIDENTAL RELEASE MEASURES

Emergency procedures:

If contamination of sewers or waterways has occurred advise local emergency services.

Methods and materials for containment and clean up:

SMALL SPILLS: Quickly wipe material off surface avoiding any skin contact. Treat surface residue with water to set glue. Cured material may be removed with acetone containing 5-10% water.

LARGE SPILLS: Wear protective equipment to prevent skin and eye contact and breathing in vapours. Contain. Add water to induce complete polymerisation. Scrape solid from surface and seal in properly labelled containers for disposal. Any residue on surface may be removed by abrasion.

7. HANDLING AND STORAGE

Classified as a C1 (COMBUSTIBLE LIQUID) for the purpose of storage and handling, in accordance with the requirements of AS 1940. Refer to State Regulations for storage and transport requirements.

Conditions for safe storage:

Store in a cool, dry, well ventilated place and out of direct sunlight. Store away from incompatible materials described in Section 10. Keep containers closed when not in use - check regularly for leaks.

Precautions for safe handling:

Keep out of reach of children. Avoid skin and eye contact and breathing in vapour.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Material Safety Data Sheet



Occupational Exposure Limits: No value assigned for this specific material by the National Occupational Health and Safety Commission.

Engineering controls:

Use in well ventilated areas. Keep containers closed when not in use.

Personal Protective Equipment:

The selection of PPE is dependant on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

Selleys Factory Safe Handling Code: Blue



MANUFACTURE, PACKAGING AND TRANSPORT: Blue - Wear clean overalls, safety boots, general purpose gloves (PVC) and full face visor. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use.

If risk of inhalation exists, wear organic vapour respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716.

FOR CONSUMER USE: Avoid contact with eyes and skin. Wash hands after use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state:	Liquid
Colour:	Clear / Colourless
Odour:	Characteristic
Solubility:	Insoluble in water. Cured material is soluble in acetone.
Specific Gravity:	1.06 @20°C
Relative Vapour Density (air=1):	1
Vapour Pressure (20 °C):	0.02 kPa
Flash Point (°C):	80
Flammability Limits (%):	Not available
Autoignition Temperature (°C):	Not available
% Volatile by Volume:	Nil
Melting Point/Range (°C):	-25 to -20
Boiling Point/Range (°C):	65 @ 6mm Hg
Decomposition Point (°C):	Not available
pH:	Not applicable
Viscosity:	250 cPs
Evaporation Rate:	Not available

Material Safety Data Sheet



10. STABILITY AND REACTIVITY

Chemical stability:	Moisture initiates polymerisation. Solidifies instantly in contact with water.
Conditions to avoid:	Avoid exposure to moisture. Avoid exposure to heat.
Incompatible materials:	Incompatible with alkalis, alcohols and moisture.
Hazardous decomposition products:	Oxides of carbon. Oxides of nitrogen. Hydrogen cyanide.
Hazardous reactions:	Hazardous polymerisation may occur.

11. TOXICOLOGICAL INFORMATION

No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or effects that may arise if the product is mishandled and overexposure occurs are:

Ingestion:	No information available. Moisture in mouth will cure surface of adhesive with negligible bonding.
Eye contact:	An eye irritant. Moisture on eyeball will usually cure surface of adhesive with negligible bonding. Cured material may cause physical irritation to the eyes as a hard foreign body.
Skin contact:	Contact with skin will result in irritation. Initiated by moisture, material will bond to skin on contact. The fully cured material is not expected to be a skin irritant. May cause skin sensitisation in sensitive individuals. Repeated or prolonged skin contact may lead to allergic contact dermatitis.
Inhalation:	Material is irritant to the mucous membranes of the respiratory tract (airways). May cause respiratory sensitisation in sensitive individuals.

Long Term Effects:

No information available for the product.

Toxicological Data: No LD50 data available for the product.

12. ECOLOGICAL INFORMATION

Ecotoxicity	Avoid contaminating waterways.
--------------------	--------------------------------

13. DISPOSAL CONSIDERATIONS

Disposal methods:

Refer to Waste Management Authority. Normally suitable for disposal at approved land waste site.

14. TRANSPORT INFORMATION

Road and Rail Transport

Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for transport by Road and Rail; NON-DANGEROUS GOODS.

Product Name: QUICKFIX SUPA GLUE LIQUID
Substance No: 000000010972

Issued: 24/03/2009
Version: 2

Material Safety Data Sheet



Marine Transport

Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; NON-DANGEROUS GOODS.

Air Transport

Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; NON-DANGEROUS GOODS.

15. REGULATORY INFORMATION

Classification: This material is hazardous according to criteria of ASCC; HAZARDOUS SUBSTANCE.

Hazard Category: Xi: Irritant

Risk Phrase(s): R36/37/38: Irritating to eyes, respiratory system and skin.

Safety Phrase(s): S23: Do not breathe vapour/mist/aerosol.
S24/25: Avoid contact with skin and eyes.

Poisons Schedule: None allocated.

All the constituents of this material are listed on the Australian Inventory of Chemical Substances (AICS).

16. OTHER INFORMATION

This material safety data sheet has been prepared by SH&E Shared Services, Orica.

For further copies of this sheet or other product information contact Selley's Proprietary Limited Customer Service.

Phone: 1300 555 205 (Australia wide)

Fax: 1300 555 305 (Australia wide)

Phone: 9 820 4852 (New Zealand)

Fax: 0800 804 583 (New Zealand)

Reason(s) for Issue:

Revised Primary MSDS

This MSDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Orica Limited cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Orica representative or Orica Limited at the contact details on page 1.

Orica Limited's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

Product Name: QUICKFIX SUPA GLUE LIQUID
Substance No: 000000010972

Issued: 24/03/2009
Version: 2

Material Safety Data Sheet



Product Name: QUICKFIX SUPA GLUE LIQUID
Substance No: 000000010972

Issued: 24/03/2009
Version: 2